



**Stress Field
Photoelastic Visualisation**


**Diametrically Loaded
Circular Disk**


JEAN SALENÇON

Senior Fellow of IAS












Isochromatic and isoclinic (black fringe) patterns when the polariser and analyser are symmetrically oriented with respect to the loads




Rotating the polariscope, we follow the evolution of the isoclinic (black fringe) pattern.




Rotating the polariscope, we follow the evolution of the isoclinic (black fringe) pattern. The isochromatic pattern remains unaltered during the process.




Rotating the polariscope, we follow the evolution of the isoclinic (black fringe) pattern. The isochromatic pattern remains unaltered during the process.




Rotating the polariscope, we follow the evolution of the isoclinic (black fringe) pattern. The isochromatic pattern remains unaltered during the process.




Rotating the polariscope, we follow the evolution of the isoclinic (black fringe) pattern. The isochromatic pattern remains unaltered during the process.



Rotating the polariscope, we follow the evolution of the isoclinic (black fringe) pattern. The isochromatic pattern remains unaltered during the process.



Rotating the polariscope, we follow the evolution of the isoclinic (black fringe) pattern. The isochromatic pattern remains unaltered during the process.



Rotating the polariscope, we follow the evolution of the isoclinic (black fringe) pattern. The isochromatic pattern remains unaltered during the process.

Thanks for viewing

JEAN SALENÇON

Senior Fellow of IAS